



Not just performing, but performing brilliantly. Not just hearing again, but hearing better than ever. Hearing every word, beat, and breath.

With Signia, you can Be Brilliant.

CONTENTS

1) Augmented Xperience (AX)	4
2) Xperience (X)	10
3) Natural Experience (Nx)	15
4) primax (px)	16
5) Accessories	18

Terms & Conditions

- 1. Signia Hearing Aids carry warranty as indicated in the price list.
- 2. Accessories (Chargers, miniReceiver, Remote Control, Streamers, CROS / BiCROS) carry 1 year warranty.
- 3. Power adaptor for some accessories will have to be procured separately.
- 4. Custom hearing aids prices include shelling charges.
- 5. HP miniReceiver customization charges are included in the RIC pricing.
- 6. RIC / BTE instruments will be supplied in standard beige colour. Other colour housing options for RIC / BTE models are subject to a delivery lead time of 3 weeks.
- 7. Prices of color conversion kit may vary depending on hearing aid model.
- 8. Hearing Aids are exempted from GST.
- 9. GST applicable on accessories. Retail prices of accessories are inclusive of GST.
- 10. The pricelist and product specifications are subject to change without prior notice.

Sivantos India recommends all its valued consumers to seek a hearing care professional's opinion on the best suited hearing instrument. Online purchase may not necessarily give you the desired results.

Features	Information	Performance levels					
		[7AX]	[5AX]	[3AX]	[2AX]	[1AX]	
Dynamic Soundscape Processing 2.0	Dynamic Soundscape Processing takes sound processing to a more precise level by including motion data for a more realistic sound adapted to everyday life.	••••	••••	••••	•••	•••	
Augmented Focus™	Separates the focus sound (speech) from surroundings, creating a clear contrast between the two, which makes it easier to follow conversations.	/	✓	✓	✓	_	
Acoustic Sensors	The redesigned acoustic sensors can detect more variables of sound than ever before, providing more accurate information about the environment.	√	✓	✓	✓	~	
e2e wireless 4.0	Control coupling, synchronization, binaural directionality, eWindcreen binaural, Spatial Speech Focus, CROS/BiCROS.	√	✓	✓	✓	/	
Motion Sensor	An integrated motion sensor detects whether the wearer is walking, running or sitting still. This motion data complements the acoustic data to optimize Dynamic Soundscape Processing 2.0.	✓	✓	✓			
OVP™ (Own Voice Processing)	Own Voice Processing (OVP TM) utilizes real-time recognition of the wearer's voice to deliver a natural own-voice impression. Available for RIC/BTE devices with e2e wireless in binaural fittings.	√	✓	✓			
Sound Clarity	Sound Clarity provides lifelike sound which covers the full spectrum of wearing situations.	••••	••••	•••	•••	••	
Signal processing / Gain & MPO	Channels/handles in Connexx. For Signia AX, channels are per processing chain (Focus/Surroundings).	48/20	32/16	24/12	16/8	16/8	
Hearing Programs	Number of programs configurable in Connexx.	6	6	6	4	4	
Extended dynamic range	117 dB 24 bit processing for enhanced digital encoding of soft and loud sounds.	✓	✓	✓	✓		
Speech and noise management	Reduces listening effort using sophisticated sound processing		✓	✓	✓	/	
SoundSmoothing™	Reduces the annoyance of sudden loud impact sound such as when handling glassware.	✓	✓	✓	✓		
Feedback cancellation	High speed monitoring and control of feedback in individual processing channels.	/	✓	✓	✓	/	
HD Music	Preset programs for enhanced enjoyment of non-streamed music.	3	3	1	1		
eWindScreen	Reduces the annoyance of wind noise when outdoors.	√	✓	✓	~		
Extended bandwidth	12 kHz bandwidth for enhanced processing of high-frequency speech and environmental sounds.	✓					
EchoShield	Dedicated program for reverberant environments.	✓	✓				
Speech Quality	Speech Quality delivers improved speech understanding and communication ease in noise.	••••	••••	•••	•••	•••	
Binaural Directionality	Directionality provides scientifically proven enhanced speech understanding in noise. Available for bilateral fittings with directional microphones and e2e wireless link.	✓	✓	~			

In Universal program: Automatic mic beam to the right / left / rear directions.
 In Universal program: Automatic mic beam to the rear, surround mode for side speech.
 In manual programs, microphone beam to the right / left / rear directions.

Features	Information	Performance levels						
		[7AX]	[5AX]	[3AX]	[2AX]	[1AX]		
Wireless CROS/BiCROS	Requires CROS transmitters.	✓	✓	✓	✓	✓		
Frequency compression	Improves the detection of speech sounds for wearers with reduced high frequency hearing thresholds. Frequency compression is selectively activated based on audiological criteria.	√	✓	✓	~	~		
Spatial SpeechFocus	Depending on the direction of the dominant speech source, Spatial SpeechFocus steers the directional beam to the left, right, or behind the wearer automatically in a car situation, or in a dedicated "Strolling" program. Available for bilateral fittings with directional microphones and e2e wireless link.		\(\sqrt{2} \)					
Wearer Interaction	Technically inclined wearers may appreciate having extra control over their hearing aids. Signia Augmented Xperience hearing aids offer these wearers a comprehensive range of adjustment options via the Signia App.	•••••	•••••	•••••	•••••	••••		
Signia Assistant ¹	Signia Assistant offers wearers instant 24/7 support and troubleshooting around the clock. It provides detailed information in Connexx to address each client's fine-tuning needs more precisely	√	✓	✓	✓	√		
Signia app (iOS and Android)	The new Signia app combines all functionalities of previous apps (touchControl, myControl, myHearing app). The functionality offered in the app is automatically customized depending on the connected hearing aid.	✓	✓	✓	✓	✓		
Adaptive Streaming Volume	Speech intelligibility weighted adaptation of the streaming volume depending on ambient noise.		~	✓	✓	/		
Spatial Configurator	Spatial Configurator is part of the Signia app and allows the wearer to adjust the direction of the microphone beam.	✓	✓					
Direct streaming for iOS	Signia Augmented Xperience hearing aids can be connected directly to Apple devices for phone calls and audio streaming – without additional accessories.	✓	✓	✓	✓	~		
Direct streaming for Android	Direct audio streaming from ASHA compatible Android devices to Bluetooth enabled Augmented Xperience hearing aids.	✓	✓	✓	✓	~		
StreamLine TV accessory	Stream high quality stereo sound directly from a TV to Bluetooth equipped Augmented Xperience hearing aids.	✓	✓	✓	✓	~		
StreamLine Mic accessory	Stream high quality stereo sound directly from any Bluetooth device (Android devices, older Apple devices, other smartphones, PCs, laptops, etc.) to Bluetooth equipped Augmented Xperience hearing aids.	✓	/	✓	✓	~		
Tinnitus	A choice of tinnitus treatments based on amplified notch therapy or traditional noise therapy signals. It is even possible to combine the two approaches.	/	✓	✓	✓			
Notched AmplificationTherapy	Innovative tinnitus therapy delivered via everyday amplification.	√	✓	✓	✓			
Smart Optimizer and Data Logging	Smart Optimizer (found under Data Logging) provides tailored fine-tuning recommendations based on an analysis of the wearer's usage of thehearing aid.		✓	✓	✓	_		
Acclimatization manager	Allows the wearer to benefit from enhanced audibility in the longer term, while enjoying optimal device acceptance when initially fitted.		✓	✓	✓	~		
InSituGram	Allows quick and convenient screening audiograms and checking of thresholds while the hearing aids are worn.	✓	✓	✓	✓	✓		
AutoFit	Automatically provides an optimized real-ear insertion gain (REIG) setting without the need to manually match targets. The new IMC2 standardexpands the range of REM equipment which supports AutoFit with Connexx and Noah 4.5.1 or higher.	✓	✓	✓	✓	√		
TeleCare	TeleCare provides remote services including additional tools to follow-up with patients. In addition, user engagement and autonomy can be increased via the Signia app.	✓	✓	✓	✓	/		
Remote Services	Includes TeleCare Dashboard, Remote Fine Tuning, CareChat (incl. text messages, phone calls and video calls), virtual follow-up.							





A revolution in augmented hearing



Product Name	Form Factor	Channels	Fitting Range (dB)	Warranty (Years)	Unit Price (₹)					
	AUGMENT	ED XPERIENC	Œ							
KIT STYLETTO AX *										
Kit Styletto 7AX	Slim-RIC	48	10 - 110	4	6,49,990					
Kit Styletto 5AX	Slim-RIC	32	10 - 110	4	4,24,990					
Kit Styletto 3AX	Slim-RIC	24	10 - 110	2	3,09,990					
Kit Styletto 2AX	Slim-RIC	16	10 - 110	2	1,29,990					
Kit Styletto 1AX	Slim-RIC	16	10 - 110	2	99,990					
КІТ	PURE C&G AX	/ KIT PURE C	>AX*							
Kit Pure C&G 7AX / T 7AX	RIC	48	10 - 115	4	7,09,990					
Kit Pure C&G 5AX / T 5AX	RIC	32	10 - 115	4	4,41,990					
Kit Pure C&G 3AX / T 3AX	RIC	24	10 - 115	2	3,19,990					
Kit Pure C&G 2AX / T 2AX	RIC	16	10 - 115	2	1,49,990					
Kit Pure C&G 1AX / T 1AX	RIC	16	10 - 115	2	1,13,990					
	PURE C&G AX	/ PURE C&G	TAX							
Pure C&G 7AX / T 7AX	RIC	48	10 - 115	4	3,61,990					
Pure C&G 5AX / T 5AX	RIC	32	10 - 115	4	2,27,990					
Pure C&G 3AX / T 3AX	RIC	24	10 - 115	2	1,66,990					
Pure C&G 2AX / T 2AX	RIC	16	10 - 115	2	81,990					
Pure C&G 1AX / T 1AX	RIC	16	10 - 115	2	63,990					
	PUR	E 312 AX								
Pure 312 7AX	RIC	48	10 - 115	4	3,14,990					
Pure 312 5AX	RIC	32	10 - 115	4	1,99,990					
Pure 312 3AX	RIC	24	10 - 115	2	1,41,990					
Pure 312 2AX	RIC	16	10 - 115	2	64,990					
Pure 312 1AX	RIC	16	10 - 115	2	46,990					

^{*} Kit Includes 2 units of hearing aids and a standard charger.

Note: The fitting range is completely dependent on the receiver matrix of the hearing aid





A revolution in augmented hearing



Product Name	Form Factor	Channels	Fitting Range (dB)	Warranty (Years)	Unit Price (₹)						
	AUGMENT	ED XPERIENC	E								
KIT INSIO C&G AX*											
Kit Insio C&G 7AX	ITC / ITE	48	10 - 110	4	7,09,990						
Kit Insio C&G 5AX	ITC / ITE	32	10 - 110	4	4,41,990						
Kit Insio C&G 3AX	ITC / ITE	24	10 - 110	2	3,19,990						
Kit Insio C&G 2AX	ITC / ITE	16	10 - 110	2	1,49,990						
Kit Insio C&G 1AX	ITC / ITE	16	10 - 110	2	1,13,990						
	INSIC	C&G AX									
Insio C&G 7AX	ITC / ITE	48	10 - 110	4	3,61,990						
Insio C&G 5AX	ITC / ITE	32	10 - 110	4	2,27,990						
Insio C&G 3AX	ITC / ITE	24	10 - 110	2	1,66,990						
Insio C&G 2AX	ITC / ITE	16	10 - 110	2	81,990						
Insio C&G 1AX	ITC / ITE	16	10 - 110	2	63,990						
	IN	TUIS 4									
Intuis 4.2 (SP/P/M)	ВТЕ	16	10 - 120	2	41,990						
Intuis 4.1 (SP/P/M)	ВТЕ	16	10 - 120	2	35,990						
Intuis 4.0 (SP/P/M)**	ВТЕ	12	10 - 120	2	28,990						











^{*} Kit Includes 2 units of hearing aids and a standard charger.
** Direct Streaming option not available in Intuis 4.0

Note: The fitting range is completely dependent on the receiver matrix of the hearing aid





A revolution in augmented hearing







	augmente	a nearing		e, a
Product Name	Form Factor	Battery Size/Type	Warranty (Years)	Unit Price (₹)
	CROS/B	iCROS		
Styletto CROS Kit 7AX	RIC	Li-ion	4 yrs For Hearing Aid 1 yr for CROS	3,60,990
Styletto CROS Kit 5AX	RIC	Li-ion	4 yrs For Hearing Aid 1 yr for CROS	2,48,490
Styletto CROS Kit 3AX	RIC	Li-ion	2 yrs For Hearing Aid 1 yr for CROS	1,90,990
Styletto CROS Kit 2AX	RIC	Li-ion	2 yrs For Hearing Aid 1 yr for CROS	1,00,990
Styletto CROS Kit 1AX	RIC	Li-ion	2 yrs For Hearing Aid 1 yr for CROS	85,990
CROS/BICROS (Pure C&G AX Transmitter)	RIC	Li-ion	1	35,990
CROS/BICROS (Pure 312 AX Transmitter)	RIC	312	1	29,490
Product Name			Warranty (Year)	Unit Price (₹)
	CHARG	GERS		
Styletto AX Charger Case			1	11,990
Styletto Dry&Clean Charger			1	11,990
Insio AX Charger Case			1	11,990
Dry & Clean Charger RIC			1	11,990
Portable Charger RIC		G	1	7,990
Standard Charger RIC		0	1	5,990

Better physical fit and on-ear attractiveness

Our new EarWear 3.0 offers a higher physical fit rate, improved cosmetics and better retention.



miniReceiver 3.0 Cable Bending 10/10 fit correctly-out of the box

Acoustical and physical fitting performance of miniReceiver 3.0 portfolio

rriysicariit rate								
Acoustical perfo	rmance 3.0	7		7		\bigcirc	(Z	1)
		S		М		Р	Н	Р
	2ccm coupler	Ear simulator						
OSPL 90 (Peak)	110 dBSPL	120 dBSPL	119 dBSPL	129dBSPL	122 dBSPL	131 dBSPL	131 dBSPL	138 dBSPL
138 dBSPL	46 dB	57 dB	60 dB	70 dB	65 dB	75 dB	75 dB	83 dB

Different values for Pure 312 AX

Physical fit rate

Your EarWear 3.0 advantages at a glance:

Higher physical fit rate

The combination of smaller receiver cross sections, softer eartips providing a smaller receiver front, and a new cable geometry results in major physical fit rate improvements for the miniReceiver 3.0 portfolio.

Cosmetically appealing Improved cable/tube bending and in-ear position ensures a closer fit on the ear, making it less visible. Every variant is available in the lengths 0-4.

Better retention

A special bending of the cable/tube and its outlet locks the acoustic coupling reliably into the ear canal, with no lateral migration and no need for an anchor.

Compatible with miniReceiver 3.0 and ThinTube 3.0 and easier for your clients to exchange (compared to click domes).

 $\begin{tabular}{ll} Smaller hearing aids \\ The introduction of a substantially smaller plug allows for smaller RIC designs overall. \\ \end{tabular}$

Improved usability

The proven design makes click domes much easier for consumers to exchange.

Signia ₩ perience Platform Features

Features	Information	Performance levels						
		7X	[5X]	[3X]	2X	[1X]		
YourSound Technology	Redesigned acoustic sensors plus an integrated motion sensor provide detailed information about where the wearers are and what they are doing. Dynamic Soundscape Processing and Own Voice Processing (OVP™), process this information delivering the most natural and personalized sound.	••••	••••	••••	••••	••••		
Acoustic Sensors	The redesigned acoustic sensors can detect more variables of sound than ever before, providing more accurate information about the environment.	~	4	4	4	4		
Motion Sensor	An integrated motion sensor detects whether the wearer is walking, running or not. This information is used for Dynamic Soundscape Processing.	√	1	1	-	-		
Dynamic Soundscape Processing ¹	Steers Sound Clarity and Sound Quality features for natural sound and speech in every situation from any direction, even when moving.	••••	••••	••••	••••	••••		
OVP™ (Own Voice Processing)¹	Own Voice Processing (OVP™) utilizes real-time recognition of the wearer's voice to deliver a natural own-voice impression. Available for RIC/BTE devices with e2e wireless in binaural fittings.	••••	••••	••••	-	-		
Sound Clarity	Sound Clarity provides lifelike sound which covers the full spectrum of wearingsituations.	••••	•••••	••••	••••	••••		
Signal processing / Gain & MPO	Channels/handles in Connexx.	48/20	32/16	24/12	16/8	16/8		
Hearing Programs	Number of programs configurable in Connexx	6	6	6	4	4		
Extended dynamic range	24 bit processing for enhanced digital encoding of soft and loud sounds.	✓	✓	✓	✓	✓		
Speech and noise management	Reduces listening effort using sophisticated sound processing.	√	✓	✓	✓	√		
SoundSmoothing™	Reduces the annoyance of sudden loud impact sound such as when handling glassware.	√	✓	✓	✓	-		
Feedback cancellation	High speed monitoring and control of feedback in individual processing channels.	✓	√	✓	√	✓		
HD Music	Preset programs for enhanced enjoyment of non-streamed music.	3	3	1	1	-		
eWindScreen	Reduces the annoyance of wind noise when outdoors. Binaural e Windscreen requires e2e wirelessl link. 7X, - Binaural Auto in Universal program 5X, - Binaural 3X, 2X, - Monaural	✓	✓	✓	✓	-		
Extended bandwidth	12 kHz bandwidth for enhanced processing of high-frequency speech and environmental sounds.	✓	-	-	-	-		
EchoShield	Dedicated program for reverberant environments.	√	-	-	-	-		
Speech Quality	Speech Quality delivers improved speech understanding and communication ease in noise.	••••	••••	•••	••			
Directionality	Directionality provides scientifically proven enhanced speech understanding in noise. Available for bilateral fittings with directional microphones and e2e wireless link. 7X, 5X, 3X - Binaural processing Automatic / Adaptive 2X, 1X - Automatic / Adaptive	√	✓	✓	✓	✓		
Binaural OneMic Directionality	Advanced binaural beamforming technology for small in-the-ear instruments with only one microphone. Available for Silk X.	✓	√	√	-	-		
Wireless CROS / BiCROS ²	Requires CROS trasmitters: CROS Pure 312 X or CROS Pure Charge&Go X for Bluetooth enabled fittings CROS Silk X for fittings without Bluetooth	✓	✓	✓	-	-		
Frequency compression	Improves the detection of speech sounds for wearers with reduced high frequency hearing thresholds. Frequency compression is selectively activated based on audiological criteria.	√	√	√	√	✓		

Features	Information	Performance levels						
		[7X]	[5X]	[3X]	2X	[1X]		
Spatial SpeechFocus	Depending on the direction of the dominant speech source, Spatial SpeechFocus 7X- In Universal program:automatic mic beam to the right / left / rear directions. 5X- In Universal program: automatic mic beam to the rear, surround mode for side speech. In manual programs, microphone beam to the right/left/ rear directions.	✓	✓	-	-	-		
Wearer Interaction	Technically inclined wearers may appreciate having extra control over their hearingaids. Signia Xperience hearing aids offer these wearers a comprehensive range of adjustment options via the Signia App.	••••	••••	••••	••••	••••		
Signia Assistant ¹	Signia Assistant offers the wearers instant 24/7 support and troubleshooting around the clock. It provides detailed information in Connexx to address each client's fine-tuning needs more precisely.	✓	✓	✓	✓	✓		
Signia App (iOS and Android)	The new Signia App combines all functionalities of previous apps (touchControl, myControl, myHearing App). The functionality offered in the app is automatically customized depending on the connected hearing aid.	✓	✓	✓	✓	✓		
Adaptive Streaming Volume	Speech intelligibility weighted adaptation of the streaming volume depending on ambient noise.	✓	✓	✓	✓	✓		
Spatial Configurator	Spatial Configurator is part of the Signia App and allows the wearer to adjust the direction of the microphone beam.	✓	✓	-	-	-		
Direct Streaming	Signia Xperience hearing aids can be connected directly to Apple devices for phone calls and audio streaming – without additional accessories. For Android devices the StreamLine Mic accessory makes streaming easy. The Stream Line TV accessory sends high quality stereo sound from the wearer's TV directly to the Xperience hearing aids. Available for Bluetooth hearing aids.	✓	✓	√	√	✓		
Made for iPhone	Direct audio streaming from compatible iOS devices to Bluetooth enabled Xperience hearing aids.	✓	√	✓	✓	✓		
StreamLine TV accessory	Stream high quality stereo sound directly from a TV to Bluetooth equipped Xperience hearing aids.	✓	√	✓	✓	✓		
StreamLine Mic accessory	Stream high quality stereo sound directly from any Bluetooth device (Android devices, older Apple devices, other smartphones, PCs, laptops, etc.) to Bluetooth equipped Xperience hearing aids.	✓	√	√	√	✓		
Tinnitus	A choice of tinnitus treatments based on amplified notch therapy or traditional noise therapy signals. It is even possible to combine the two approaches.	√	√	√	√	-		
Notched Amplification Therapy	Innovative tinnitus therapy delivered via everyday amplification.	√	✓	✓	✓	-		
Tinnitus noise therapy signal	A set of fully configurable stationary noise signals and the modulated ocean wavesounds	✓	✓	✓	✓	-		
Fitting	Connexx fitting software offers a number of advanced tools to suit every Hearing Care Professional's workflow.	✓	✓	✓	✓	✓		
Smart Optimizer and Data Logging	Smart Optimizer (found under Data Logging) provides tailored fine-tuning recommendations based on an analysis of the wearer's usage of the hearing aid.	✓	✓	✓	✓	✓		
Acclimatization manager	Allows the wearer to benefit from enhanced audibility in the longer term, while enjoying optimal device acceptance when initially fitted.	✓	✓	✓	✓	✓		
InSituGram	Allows quick and convenient screening audiograms and checking of thresholds while the hearing aids are worn.	✓	✓	✓	✓	✓		
AutoFit	Automatically provides an optimized real-ear insertion gain (REIG) setting without the need to manually match targets. The new IMC2 standard expands the range of REM equipment which supports AutoFit with Connexx and Noah 4.5.1 or higher.	→ → →		✓	✓			
TeleCare	TeleCare provides remote services including additional tools to follow-up the patients., In addition, the user engagement and autonomy can be increased via the Signia app.	✓	✓	√	✓	✓		
Remote Services	Includes TeleCare Dashboard, Remote Fine Tuning, CareChat (incl. text messages, phone calls and video calls), virtual follow-up.	✓	✓	✓	✓	✓		
Signia App	The Signia App provides TeleCare specific functionalities like Hearing Lessons, Daily Satisfaction Ratings, Tutorials and FAQs.	✓	√	√	✓	✓		

1' Not available with Silk X $\,^2$ Not available with Styletto X



Signia X perience

Hear what matters to you



Product Name	Form Factor	Channels	Fitting Range (dB)	Warranty (Years)	Unit Price (₹)
	XP	ERIENCE			
	KIT	ACTIVE*			
Active Pro	ITE	48	10 - 80	4	2,99,990
Active	ITE	16	10 - 80	2	1,49,990
	KIT ST	YLETTO X *			
Kit Styletto 7X	RIC	48	10 - 110	4	6,47,990
Kit Styletto 5X	RIC	32	10 - 110	4	4,16,990
Kit Styletto 3X	RIC	24	10 - 110	2	3,00,990
Kit Styletto 2X	RIC	16	10 - 110	2	1,29,990
Kit Styletto 1X	RIC	16	10 - 110	2	99,990
KIT MOTION C&G X	/ KIT MOTIC	ON C&G P X / I	KIT MOTION C&G	SP X*	
Kit Motion C&G 7X / P 7X / SP 7X	ВТЕ	48 / 48 / 34	10 - 120	4	6,19,990
Kit Motion C&G 5X / P 5X / SP 5X	ВТЕ	32/32/32	10 - 120	4	3,89,990
Kit Motion C&G 3X / P 3X / SP 3X	BTE	24/24/24	10 - 120	2	2,19,990
Kit Motion C&G 2X / P 2X / SP 2X	BTE	16/16/16	10 - 120	2	1,29,990
Kit Motion C&G 1X / P 1X / SP 1X	BTE	16/16/16	10 - 120	2	99,990
MOTION C&G	X / MOTIOI	N C&G P X / M	IOTION C&G SP X		
Motion C&G 7X / P 7X / SP 7X	ВТЕ	48 / 48 / 34	10 - 120	4	3,16,990
Motion C&G 5X / P 5X / SP 5X	ВТЕ	32/32/32	10 - 120	4	2,01,990
Motion C&G 3X / P 3X / SP 3X	ВТЕ	24/24/24	10 - 120	2	1,12,990
Motion C&G 2X / P 2X / SP 2X	ВТЕ	16/16/16	10 - 120	2	71,990
Motion C&G 1X / P 1X / SP 1X	ВТЕ	16/16/16	10 - 120	2	56,990

^{*} Kit Includes 2 units of hearing aids and a standard charger.

Note:
The fitting range is completely dependent on the receiver matrix of the hearing aid











Signia XX perience **Hear what** matters to you



Product Name	Form Factor	Channels	Fitting Range (dB)	Warranty (Years)	Unit Price (₹)						
XPERIENCE											
KIT PURE C&G X*											
Kit Pure C&G 7X	RIC	48	10 - 110	4	6,49,990						
Kit Pure C&G 5X	RIC	32	10 - 110	4	3,99,990						
Kit Pure C&G 3X	RIC	24	10 - 110	2	2,91,990						
Kit Pure C&G 2X	RIC	16	10 - 110	2	1,03,990						
Kit Pure C&G 1X	RIC	16	10 - 110	2	83,990						
	PUR	E C&G X									
Pure C&G 7X	RIC	48	10 - 110	4	3,31,990						
Pure C&G 5X	RIC	32	10 - 110	4	2,06,990						
Pure C&G 3X	RIC	24	10 - 110	2	1,52,990						
Pure C&G 2X	RIC	16	10 - 110	2	54,990						
Pure C&G 1X	RIC	16	10 - 110	2	44,990						
	PUI	RE 312 X		1							
Pure 312 7X	RIC	48	10 - 115	4	2,99,990						
Pure 312 5X	RIC	32	10 - 115	4	1,79,990						
Pure 312 3X	RIC	24	10 - 115	2	1,29,990						
Pure 312 2X	RIC	16	10 - 115	2	45,990						
Pure 312 1X	RIC	16	10 - 115	2	38,990						
		SILK X									
Silk 7X	CIC	48	10 - 80	4	2,99,990						
Silk 5X	CIC	32	10 - 80	4	1,79,990						
Silk 3X	CIC	24	10 - 80	2	1,29,990						
Silk 2X	CIC	16	10 - 80	2	59,990						
Silk 1X	CIC				43,990						

 $[\]ensuremath{\ast}$ Kit Includes 2 units of hearing aids and a standard charger.

Note: The fitting range is completely dependent on the receiver matrix of the hearing aid $% \left(1\right) =\left(1\right) \left(1\right$



Signia ∑perience

Hear what
matters to you



Product Name		Form Factor	Warranty (Year)	Unit Price (₹)					
CROS/BiCROS									
CROS/BiCROS Pure Charge&Go X Tra	nsmitter	RIC	1	35,990					
CROS/BiCROS Pure 312 X Transmitter		RIC	1	29,490					
CROS/BiCROS Silk X Transmitter		RIC	1	29,490					
Product Name			Warranty (Year)	Unit Price (₹)					
	CHARGERS								
Styletto X Charger Case			1	11,990					
Inductive Charger (Pure C&G X and Motion C&G X) - 7,5,3		17	1	11,990					
Active Charger Case	The state of the s		1	11,990					
Dry&Clean Charger (Motion C&G X) (P/SP)			1	11,990					
Inductive Charger E (Pure C&G X and Motion C&G X) - 2,1			1	9,990					
Standard Charger (Motion C&G X) (P/SP)	To Apple of the Parket of the	D d	1	5,990					



Signia **//**

Outstanding Soundscape Processing







Product Name	Form Factor	Channels	Fitting Range (dB)	Warranty (Years)	Unit Price (₹)				
SIGNIA Nx									
INSIO Nx									
Insio 7Nx	ITE / ITC* / CIC / IIC	48	10 - 110	4	2,99,990				
Insio 5Nx	ITE / ITC* / CIC / IIC	32	10 - 110	4	1,79,990				
Insio 3Nx	ITE / ITC* / CIC / IIC	24	10 - 110	2	1,04,990				
Insio 2Nx	ITE / ITC* / CIC / IIC	16	10 - 110	2	57,990				
Insio 1Nx	ITE / ITC* / CIC / IIC	16	10 - 110	2	41,990				

*TTE & ITC - Available with Bluetooth / without Bluetooth

Product Name	Form Factor	Warranty (Year)	Unit Price (₹)
CROS/BiCROS			
CROS/BiCROS (Pure 312 Nx Transmitter)	RIC	1	29,490
CROS/BiCROS (Silk Nx Transmitter)	CIC	1	29,990

Note: The fitting range is completely dependent on the receiver matrix of the hearing aid $\,$













Product Name	Form Factor	Channels	Fitting Range (dB)	Warranty (Years)	Unit Price (₹)				
primax									
MOTION P / SP px									
Motion SP/P 7px	ВТЕ	24 / 48	10 - 120	2	2,49,990				
Motion SP/P 5px	ВТЕ	24/32	10 - 120	2	1,54,990				
Motion SP/P 3px	BTE	24 / 24	10 - 120	2	44,990				
Motion SP/P 2px	ВТЕ	16 / 16	10 - 120	2	39,990				
Motion SP/P 1px	BTE	16 / 16	10 - 120	2	32,990				
PURE px									
Pure 3px	RIC	24	10 - 115	2	44,990				
Pure 2px	RIC	16	10 - 115	2	39,990				
Pure 1px	RIC	16	10 - 115	2	32,990				
	IN	ISIO px							
Insio 3px	CIC & ITC/ITE	24	10 - 110	2	44,990				
Insio 2px	CIC & ITC/ITE	16	10 - 110	2	39,990				
Insio 1px	CIC & ITC/ITE	16	10 - 110	2	32,990				
	S	ILK px							
Silk 3px	Click CIC	24	10 - 80	2	44,990				
Silk 2px	Click CIC	16	10 - 80	10-80 2					
Silk 1px	Click CIC	16	10 - 80	2	32,990				
Product Name	Form Factor		Warranty (Year)		Unit Price (₹)				
CROS/BiCROS									
CROS/BiCROS Pure px Transmitter		RIC	1		24,490				

Note: The fitting range is completely dependent on the receiver matrix of the hearing aid $\,$

Product Name	Form Factor	Channels	Fitting Range (dB)	Warranty (Years)	Unit Price (₹)				
ESSENTIAL									
Intuis 3 RIC 312	RIC	12	10 - 115	2	24,990				
Intuis 3 SP	ВТЕ	12	20 - 120	2	24,990				
Intuis 3 P	ВТЕ	12	10 - 110	2	24,990				
Intuis 3 M	ВТЕ	12	10 - 90	2	24,990				
Intuis 3 S	ВТЕ	12	0 - 80	2	24,990				
Intuis 3 Custom	ITE / ITC / CIC	12	10 - 110	2	24,990				
Intuis 3 Click	ITC / CIC	12	10 - 90	2	24,990				
	ı	BASIC							
Prompt SP	ВТЕ	8	20 - 120	2	18,490				
Prompt P	ВТЕ	8	10 - 90	2	18,490				
Prompt S	ВТЕ	8	0 - 80	2	18,490				
Prompt Custom	ITC / CIC	8	10 - 110	2	18,490				
Prompt Click	ITC / CIC	8	10 - 90	2	18,490				
Run SP	ВТЕ	8	20 - 120	2	15,490				
Run P	ВТЕ	8	20 - 120	2	15,490				
Run S	ВТЕ	8	10 - 90	2	15,490				
Run Click	ITC / CIC	8	10 - 90	2	16,990				
Fun SP	ВТЕ	6	20 - 120	2	11,990				
Fun P	ВТЕ	6	10 - 90	2	10,990				
Fast P	ВТЕ	4	10 - 80	2	9,990				

Note: The fitting range is completely dependent on the receiver matrix of the hearing aid



Accessories for Hearing Aids					
Product	Unit Price (₹)	Product	F		
Remote Control and Accessories		Earwear 2.0			
StreamLine Mic	22,000	Domes			
StreamLine TV	19,470	Click Dome Open (8mm, 10mm) (6pcs/blister)			
miniPocket	7,670	Click Dome Closed (8mm, 10mm) (6pcs/blister)			
Hearing Aid Zinc Air Batteries		Click Dome Double (8/10 mm, 10/12 mm) (6pcs/blister)			
Signia # 675 Battery (Mercury Free)	51	Click Dome Semi Open (6pcs/blister)			
Signia # 13 Battery (Mercury Free)	51	Sleeves			
Signia # 312 Battery (Mercury Free)	51	Sleeves Vented (XS,S,M,L) (6pcs/blister)			
Signia # 10 Battery (Mercury Free)	51	Sleeves Closed (XS,S,M,L) (6pcs/blister)			
In-The-Ear (ITE) Fitting Accessorie	s	miniReceiver 2.0			
Quick Guard Kit	530	S miniReceiver 2.0 (Sizes 0 - 3) Left / Right			
Receiver-In-Canal (RIC) Fitting Ac	cessories	M miniReceiver 2.0 (Sizes 0 - 4) Left / Right	!		
Receiver Mold	1,168	P miniReceiver 2.0 (Sizes 0 - 3) Left / Right	:		
miniReceiver Waxguard Set (10 pcs)	650	HP miniReceiver 2.0 (Sizes 0 - 3) Left / Right			
Behind-The-Ear (BTE) Fitting Acce	ssories	Earwear 3.0			
Comfort Coupling Set (for Prompt, Run, Fun)	236	Sleeves 3.0			
Simple Coupling Set (for Fast)	177	Sleeves 3.0 Vented (XS, S, M, L) (6pcs/blister)			
BTE Eartip Assembly (Eartip + Elbow + Tube)	118	Sleeves 3.0 Closed (XS, S, M, L) (6pcs/blister)			
BTE Eartip Joint Elbow (L-Bend)	41	Sleeves 3.0 Power (XS, S, M, L) (6pcs/blister)			
BTE Eartip (Any Size)	59	Eartips 3.0			
BTE Hucki Holder (One Pair)	148	Eartip 3.0 Open (5mm, 7mm, 10mm) (6pcs/blister)			
Colour Exchange Kit	1,522	Eartip 3.0 Tulip (8mm, 12mm) (6pcs/blister)			
Miscellaneous Items		Thin Tube 3.0			
UV Hard Pocket / BTE Earmold	900	Set Thintube 3.0 (S0, S1, S2, S3, S4) (Set of Left & Right)			
Silicon Soft Pocket / BTE Earmold	1,100	Set Thintube 3.0 P (S0, S1, S2, S3, S4) (Set of Left & Right)			
Custom Swim Plug	1,100	miniReceiver 3.0			
Drying Kit	150	S miniReceiver 3.0 (Sizes 0 - 4) Left / Right			
Cleaning Kit	590	M miniReceiver 3.0 (Sizes 0 - 4) Left / Right			

P miniReceiver 3.0 (Sizes 0 - 4) Left / Right

HP miniReceiver 3.0 (Sizes 0 - 4) Left / Right

5,890 5,890

App, accessories and hearing aid compatibility

This overview shows you which apps and accessories work with our hearing aids. Depending on the solution your customers choose, they can even enhance their hearing experience and convenience with this well-matching portfolio.

Hearing aid	Signia app	CROS/ BiCROS	Streamer transmi		Remote controls	Portable charger	Inductive Charger II	Standard Charger	Dry&Clean Charger
		CROS	StreamLine TV	StreamLine Mic	miniPocket				
			\$	Oppus .	* * * * * * * * * *			John	
Styletto AX	•	• G	•	•	•	•	-		•
Insio AX	•	● ^H	•	•	•	-	-	•	-
Pure Charge&Go AX	•	●H	•	•	•	•	_	•	•
Pure Charge&Go T AX	•	●H	•	•	•	•	-	•	•
Pure 312 AX	•	●H	•	•	•	-	-	-	-
Intuis 4	•	•	•1	•1	•	=	=	=	=
Active Pro	•	-	•	•	•	•	-	-	-
Motion Charge&Go X	•	•I	•	•	•	-	•	-	-
Motion Charge&Go P X	•	•1	•	•	•	-	-	•	•
Motion Charge&Go SP X	•	•1	•	•	•	-	-	•	•
Styletto X	•	-	•	•	•	•	-	-	-
Silk X	•	●G	-	-	•	=	-	=	-
Pure Charge&Go X	•	•I	•	•	•	-	•	-	-
Pure 312 X	•	• ^l	•	•	•	-	_	-	_
Styletto Connect	•	-	•	•	•	•	-	-	-
Pure 10 Nx	•	-			•	-			
Pure 312 Nx	•	• ^A	•	•	•	-			_
Pure 13 Nx	•	• ^A	•	•	•	-			_
Pure Charge&Go Nx	•	• ^A	•	•	•	-	●B		
Motion 13 Nx	•	• A	•	•	•	<u>-</u>			
Motion 13P Nx	•	• ^A	•	•	•	-			
Motion Charge&Go Nx	•	• A	•	•	•	-	●B		_
Silk Nx	•	•c		-	•	-			
Insio Nx	•	● E,F	•D	• D	•	-		-	
Intuis 3	•	-	_	_	•	-			_
Intuis 3 RIC 312	•	-	-	-	•	-		_	_
Prompt	•	-			•	-			
Run	•				-				

- A) Compatible with CROS Pure 312 Nx or CROS Pure Charge&Go Nx
- B) Compatible with the Pure Charge&Go/Motion Charge&Go/Cellion charger
- C) Compatible with CROS Silk Nx
- D) Compatible with Bluetooth-enabled Insio Nx ITC / ITE
- E) Insio Nx IIC and CIC are compatible with CROS Silk Nx
- F) Bluetooth enabled Insio Nx ITC and ITE are compatible with CROS Pure 312 Nx
- G) Compatible with CROS Styletto AX
- H) Compatible with CROS Pure C&G AX and CROS Pure 312 AX
- I) Compatible with CROS Pure C&G X and CROS Pure 312 X
- G) Compatible with CROS Silk X
- J) Non Compatible with Intuis 4.0











Scan to download Signia App

Sivantos India Pvt. Ltd.
Salarpuria Magnificia Phoenix, 4th Floor, Dooravani Nagar, K. R. Puram, Bengaluru - 560016, India
Tel.: +91 75300 47474

Email: customercare.in@sivantos.com







The Information in this document contains general descriptions of the technical options available, which do not always have to be present in individual cases and are subject to change without prior notice. The required features should therefore be specified in each individual case at the time of conclusion of the respective contract.